Evo361pc

ORDER CODE: **EVO361PC**



SOURCE
61x3W Warm White + Cold White LEDs

ZOOM RANGE
8-40° motorised linear zoom

IP RATING
IP20

WEIGHT
8,8kg / 19.4lbs

CRI
>83

Downloaded on 26/11/2026 - data may be provisional: features, specifications and appearance are subject to change without notice

TECHNICAL SPECIFICATIONS

LIGHT SOURCE

Source:	61x3W Warm White + Cold White LEDs
Source CCT:	3200~5600K
Luminous flux:	5250
Lux:	32689lx @2 m
CRI:	>83
Source life expectancy:	> 50.000 h

OPTICS

Zoom range:	8-40° motorised linear zoom
Lens type:	HD anti-reflection lenses with achromatic coating

COLOUR SYSTEM

Colour mixing:	tunable white
CCT:	CCT control through dedicated DMX channel
White presets:	3200~5600K
Macros:	built-in white presets

CONTROL

Supported Protocols:	DMX512
DMX channels:	1 / 3 / 5ch
Display:	LED display user interface

ELECTRONICS

Dimmer:	linear 0 - 100% electronic dimmer
Dimmer curves:	5 selectable dimming modes available
Strobe / shutter:	1-25 Hz, electronic

CONNECTIONS

Power connection:	powerCON IN
Signal connection:	Amphenol XLR 3p IN/OUT connectors

ELECTRICAL

Mains power supply:	100-240V - 50/60Hz
Max power consumption (230V):	175W

PHYSICAL

IP rating:	IP20
Cooling:	forced-air with low-noise fan
Housing:	Sturdy die-cast aluminium body
Finish:	black
Operating temperature:	Ta -10 to +45 °C (+14 to +113 °F)
Dimensions (WxHxD):	335x357x375 mm
Weight:	8,8kg

INSTALLATION

Suspension and fixing:	bracket for hanging and floor positioning

Downloaded on 26/11/2026 - data may be provisional: features, specifications and appearance are subject to change without notice

TECHNICAL DRAWINGS



MUSIC & LIGHTS S.r.l.
Via A. Olivetti, snc
04026 - Minturno (LT) ITALY
info@prolights.it
Tel: +39 0771 72190
prolights.it
VAT No. IT 02057590594

Downloaded on 26/11/2026 - data may be provisional: features, specifications and appearance are subject to change without notice