Iptestbox

ORDER CODE: IPTESTBOX



WEIGHT

7kg / 15.43lbs

MAIN FEATURES

- Test according to a specific PROLIGHTS product program, or according to an IP class
- Continuous stress test mode with multiple cycles
- Save and load report from SD card
- Generating reports with fixture name, serial number and date/time of test
- Report readable in CSV format
- Import/Export settings
- Unit Auto test for self diagnostic of the IPTESTBOX
- Firmware upgrade through SD card

Downloaded on 06/11/2026 - data may be provisional: features, specifications and appearance are subject to change without notice

TECHNICAL SPECIFICATIONS

CONTROL

Display:	Graphic User Interface

ELECTRONICS

Firmware upgrade with:	via menu with internal SD Card memory

CONNECTIONS

Power connection:	Neutrik powerCON TRUE1 IN connector

ELECTRICAL

Mains power supply:	100-240V - 50/60Hz
Max power consumption (230V):	40W

PHYSICAL

Finish:	black (RAL 9004)
Operating temperature:	Ta -20 to +45 °C (-4 to +113 °F)
Dimensions (WxHxD):	420x362x165mm
Weight:	7kg

BOX CONTENT

1 x IPTESTBOX

1 x flexible tube

1 x M12 thread adapter

1 x cap with M12 thread

ACCESSORIES & RELATED PRODUCTS



IPTBM6ADP

M6 adapter and M6 cap for IPTESTBOX

Downloaded on 06/11/2026 - data may be provisional: features, specifications and appearance are subject to change without notice

TECHNICAL DRAWINGS

